

**English Version** 





## Index

- 3 Overview
- 4 Key features
- 5-6 General specifications
- 7 Package contents
  Additional information

#### **Define 7 Mini**

#### Re-defining balance.

he Define 7 Mini offers the same stylish appeal and many of the life-improving features of its larger siblings, in a streamlined form factor. Its compact yet spacious interior can accommodate mATX and Mini ITX motherboards, and the option to use a GPU up to 331 mm with a 240 mm radiator in the top.





#### **Key features**

- · Compact yet spacious interior accommodates mATX and Mini ITX motherboards
- · Room for GPUs up to 331 mm with a 240 mm radiator in the top, or 306 mm with 25 mm thick fans in the fronts
- Support for 2x 2.5"/3.5" drives and up to 4x 2.5" drives (2x 2.5" brackets included)
- Top panel effortlessly swaps from closed steel panel to filtered ventilation
- Removable top fan bracket design opens up to fully expose the case interior for effortless installation and cable routing
- · Silence-optimized construction with industrial sound-damped front, top, and side panels
- Brushed aluminum front and top-latching side panels offer a clean sophisticated look
- Install up to 7x 120 mm or 4x 140 mm fans (1x 120 mm and 1x 140 mm Dynamic X2 fans included)
- Five front USB ports including one USB-C with fast-charging support and speeds up to 10Gbps
- · Bridgeless expansion slots ensure obstruction-free connections for easier installation and hookup
- Ventilated PSU shroud with two-part removable cover for optimal coverage and front radiator support
- · Easy-to-clean high airflow nylon filters on the front, top and base with full PSU coverage and convenient front access
- Integrated cable guides with cable straps further simplify cable management behind the board



### **General specifications**

3.5"/2.5" drive mounts	· 2 (included)
Dedicated 2.5" drive mounts	• 4 (2 included – note the 8 mm height limit on two of the positions)
5.25" drive mounts	•0
Expansion slots	• 4 + 0
Motherboard compatibility	• mATX / Mini-DTX / Mini ITX
Power supply type	• ATX
Front interface	• 1x USB 3.1 Gen 2 Type-C, 2x USB 3.0, 2x USB 2.0, Audio
Total fan mounts	• 7x 120 mm or 4x 140 mm
Front fan	• 3x 120/ 2x 140 mm
	(1x Dynamic X2 GP-14 included)
Top fan	• 2x 120/140 mm
Rear fan	• 1x 120 mm
	(1x Dynamic X2 GP-12 included)
Bottom fan	• 1x 120 mm (requires HDD Cage to be removed)
Dust filters	• Top, Front, Bottom and PSU
Front radiator	• 120/240, 140/280 (361 mm max height, 146 mm max width)
Top radiator	• 120/240 mm (max 37 mm RAM with 121 mm wide radiator)
Rear radiator	• 120 mm
Bottom radiator	• 120 mm (requires HDD Cage to be removed)



### **General specifications**

PSU max length	• 165 mm recommended with HDD Cage (200 mm without Hard Drive Cage)
GPU max length	• 331 mm
	• 306 mm with front fan
CPU cooler max height	• 167 mm
Cable routing space	• 15-25 mm
Cable routing grommets	•Yes
Fixed velcro straps	• Yes
Tool-less push-to-lock	• Top, front and side panels
Captive thumbscrews	• HDD, SSD and PSU brackets
Left side panel	• Industrial sound-damped steel or tempered glass
Right side panel	• Industrial sound-damped steel
Case dimensions (LxWxH)	• 399 x 205 x 406 mm
Net weight	• Solid: 7.49 kg
	•TG: 6.84 kg
Package dimensions (LxWxH)	• 462 x 277 x 471
Gross weight	• Solid: 9.05 kg
	• TG: 8.4 kg



#### Package contents

- Define 7 Mini
- User manual
- Accessory box
- · Ventilated top panel

#### **Additional information**

Product	SKU	EAN	UPC	JAN
Define 7 Mini Black Solid	FD-C-DEF7M-01	7340172702818	843276102814	4537694282291
Define 7 Mini Black TG Light Tint	FD-C-DEF7M-02	7340172702825	843276102821	4537694282307

