

GAMINGPRO



- ❑ One Two SYNC
- ❑ Gale Hunter Fan
- ❑ Y Formula Fins
- ❑ Ultra-Wide Copper Base
- ❑ Anti-Gravity Plate
- ❑ Exquisite Metal Backplate
- ❑ 0-dB Technology



Plug and party. Shine in consistency.

Excellent compatibility guaranteed. No need of any software control, the board lighting can be easily synced with any other ARGB-supported devices with just a single cable.



Key Features

- ❑ Dedicated Ray Tracing Cores
- ❑ Dedicated Tensor Cores
- ❑ NVIDIA DLSS 3
- ❑ Game Ready and NVIDIA Studio Drivers
- ❑ NVIDIA® GeForce Experience™
- ❑ NVIDIA Broadcast
- ❑ NVIDIA G-SYNC®
- ❑ NVIDIA GPU Boost™
- ❑ GDDR6X Graphics Memory
- ❑ PCI Express® Gen 4
- ❑ Microsoft DirectX® 12 Ultimate
- ❑ Vulkan RT APIs, Vulkan 1.3, OpenGL 4.6
- ❑ HDCP 2.3
- ❑ DisplayPort 1.4a, up to 4K at 240Hz or 8K at 60Hz with DSC, HDR
- ❑ As specified in HDMI 2.1a: up to 4K 240Hz or 8K 60Hz with DSC, Gaming VRR, HDR

Minimum System Requirements

- ❑ PCI Express-compliant motherboard with one tri-width x16 graphics slot
- ❑ 850 W or greater system power supply
- ❑ One 16-pin PCIe 12VHPWR or two 8-pin supplementary power connectors
- ❑ Microsoft Windows® 11, Windows® 10 64-bit, Linux 64-bit

| Part Number | NED4080019T2-1032A |
|----------------|---|
| EAN Code | 4710562243673 |
| GPU | RTX 4080 16GB |
| Core Name | AD103 |
| CUDA Core | 9728 |
| Core Clock | 2205 MHz |
| Boost Clock | 2505 MHz |
| DRAM Type | GDDR6X |
| DRAM Amount | 16 GB |
| DRAM Interface | 256 bits |
| DRAM Speed | 22.4 Gbps |
| DRAM Bandwidth | 716.8 GB/s |
| Board Power | 320 W |
| Output | DP 1.4a x 3 HDMI 2.1a x 1 |
| Bracket | 2 slot |
| Cooler | 3.1 slot |
| Board size | 328.9 x 132.9 x 63.4 mm |
| Box size | 460 x 290 x 115 mm |
| Retail Pack | 5 pcs per carton |
| Box including | ➢ GeForce RTX 4080 16GB ➢ Power Cable ➢ ARGB SYNC Cable |